ELSEVIER

Geomorphology 38 (2001) 397–398

GEOMORPHOLOGY

www.elsevier.nl/locate/geomorph

# Contents Volume 38, 2001

## Vol. 38, Nos. 1–2

*Research Papers*

Paleowind (11,000 BP) directions derived from lake spits in Northern Michigan
F. Krist Jr. and R.J. Schaetzl . . . . . 1

Multiple talus flatirons, variations of scarp retreat rates and the evolution of slopes in Almazán Basin (semi-arid central Spain)
M. Gutiérrez Elorza and V.H. Sesé Martínez . . . . . 19

Holocene dune-sourced alluvial fans in the Nebraska Sand Hills
M.R. Sweeney and D.B. Loope . . . . . 31

Relationships between clay mineralogy, hydrothermal metamorphism, and topography in a Western Cascades watershed, Oregon, USA
R.K.R. Ambers . . . . . 47

Recent formation of arroyos in the Little Missouri Badlands of southwestern North Dakota
M.A. Gonzalez . . . . . 63

Use of mining-contaminated sediment tracers to investigate the timing and rates of historical flood plain sedimentation
S.A. Lecce and R.T. Pavlowsky . . . . . 85

Geotechnical model for great plains hummocky moraine formed by till deformation below stagnant ice
S.J. Boone and N. Eyles . . . . . 109

Updrift river mouth migration on cuspate deltas: two examples from the coast of Tuscany (Italy)
E. Pranzini . . . . . 125

Dating the culmination of river aggradation at the end of the last glaciation using distal tephra compositions, eastern North Island, New Zealand
D.N. Eden, A.S. Palmer, S.J. Cronin, M. Marden and K.R. Berryman . . . . . 133

Glacial valley cross-profile morphology, Tian Shan Mountains, China
Y. Li, G. Liu and Z. Cui . . . . . 153

Changes in progradation rate of the tidal flats at the mouth of the Changjiang (Yangtze) River, China
S.-l. Yang, P.-x. Ding and S.-l. Chen . . . . . 167

*Newsletter*

Newsletter of the IAG . . . . . 181

## Vol. 38, Nos. 3–4

*Research Papers*

Multiple thread flow and channel bifurcation in a braided river: Brahmaputra–Jamuna River, Bangladesh
W.R. Richardson and C.R. Thorne . . . . . 185

The influence of contemporary flow regime on the geomorphology of the Sabie River, South Africa
G.L. Heritage, L.J. Broadhurst and A.L. Birkhead . . . . . 197

Surface joint systems, tectonic stresses and geomorphology: a reconciliation of conflicting observations
A.E. Scheidegger . . . . . 213

In-stream wetlands and their significance for channel filling and the catchment sediment budget, Jugiong Creek, New South Wales
C. Zierholz, I.P. Prosser, P.J. Fogarty and P. Rustomji . . . . . 221
Variability in sediment delivery and storage along river courses in Bega catchment, NSW, Australia: implications for geomorphic river recovery
K. Fryirs and G.J. Brierley . . . . . 237
Channel bed steps and pool shapes along Soda Creek, Three Sisters Wilderness, Oregon
D.W. Duckson Jr. and L.J. Duckson . . . . . 267
Logistic analysis of channel pattern thresholds: meandering, braiding, and incising
B.P. Bledsoe and C.C. Watson . . . . . 281
Equilibrium pool dimensions and sediment-sorting patterns in coarse-grained, New England channels
D.M. Thompson and K.S. Hoffman . . . . . 301
Evolution of undercut slopes on abandoned incised meanders in the Eastern Highland Rim of Tennessee, USA
H.H. Mills and R.T. Mills . . . . . 317
Middle–late Holocene river terraces in the Erhjen River Basin, southwestern Taiwan—implications of river response to climate change and active tectonic uplift
M.-L. Hsieh and P.L.K. Knuepfer . . . . . 337
Influence of late Holocene hillslope processes and landforms on modern channel dynamics in upland watersheds of central Nevada
J. Miller, D. Germanoski, K. Waltman, R. Tausch and J. Chambers . . . . . 373

*Newsletter*
Newsletter of the IAG . . . . . 393

*Contents Volume 38, 2001* . . . . . 397